ASTHMA ACTION PLAN

Name:	DOB:				
Asthma Severity	Allergies: Other Triggers: Other trigger(s)				
	Dust mites Animals		□ Weather	□ No smoking in home or car	
□ Mild persistent	□ Mold □ Pollen		Smoke	□ Inhaler technique reviewed	
Moderate persistent	Other:	Other:		☐ Flu shot in F	•
□ Severe persistent	Food allergies:				
	Medication allergies:				
Green Zone: I feel good	Take CONTROLLER MEDICINE every day	y to control your asthm	a – this may includ	le allergy medicii	ne.
Can work and play	Medication		Dose		How Often
Can sleep at night	Asmanex (mometasone)	🗆 110 mcg	🗆 220 mcg		puff(s) time(s) per day
No cough or wheeze	Flovent (fluticasone)	□ 44 mcg	🗆 110 mcg	🗆 220 mcg	puff(s) time(s) per day
	Pulmicort Respules (budesonide)	🗆 0.25 mg	🗆 0.5 mg	🗆 1 mg	time(s) per day
Peak Flowto	Pulmicort Flexhaler (budesonide)	🛛 90 mcg	🛛 180 mcg		puff(s) time(s) per day
(80%-100% of Personal Best)	QVAR (beclomethasone)	□ 40 mcg	🛛 80 mcg		puff(s) time(s) per day
	Advair Diskus (fluticasone/salmetere	ol) 🗌 100/50	□ 250/50	□ 500/50	1 puff twice daily
	Advair HFA (fluticasone/salmeterol)	45/21	□ 115/21	230/21	2 puffs 2 times per day
	Dulera (mometasone/formoterol)	🗆 100 mcg	🗆 200 mcg		2 puffs 2 times per day
	Symbicort (budesonide/formoterol)	□ 80/4.5	□ 160/4.5		2 puffs 2 times per day
	Singulair (montelukast)	□ 4 mg	□ 5 mg	□ 10 mg	daily
	Albuterol Xopenex (levalbuterol)	2 puffs 10-20 minutes	before exercise an	d prior to exposu	ure to triggers.
	Additional orders:				
Yellow Zone: I <u>do not</u> feel good	Keep taking Green Zone <u>CONTROLLER</u>	MEDICINES. Take the fo		MEDICINES to ke	eep asthma
	from getting worse.				
At first sign of cold with cough	Medication Dose How often Albuterol Nebulizer 2.5 mg in 3 ml NS (premixed vial) Every 4 hours				
 Wake up at night with cough 	Albuterol Inhaler	2.5 mg m 3	ining (premized)	(idi)	Every 4 hours
 Wheeze, tight chest, or 		0.31 mg	□ 0.63 mg	□ 1.25 mg	Every 4 hours
trouble breathing		□ 0.31 mg	L 0.05 mg	L 1.25 mg	Every 4 hours
trouble breathing	Additional orders:				Lvery 4 hours
Peak Flowto	Additional orders.				
(50%-79% of Personal Best)					
Call or be seen if symptoms/peak flow are not improving after first 48 hours in the yellow zone, or if reliever medicine does not last 4 hours.					
Red Zone: I feel awful Take these medicines NOW and call your health care provider. KEEP TAKING the GREEN and YELLOW ZONE MEDICINES.					
Getting worse and meds	Medication		Dose		How often
not helping	□ Prednisone	mg		tablet	
 Breathing is hard and fast 	Prednisolone Syrup		15 mg/5ml	ml	_ times(s) daily for 5 days
 Coughs continuously 	 Orapred disintegrating tablet(s) 		15 mg 🛛 30 m		
	Increase above noted dose Albuterol Xopenex to every hour(s)				
Peak Flow less than	Additional orders:		1001(3)		
(less than 50% of Personal Best)	Additional orders.				
If broathing door	not improve and you cannot immed	liataly contact your b	aalth cara provi	dor go to the a	
If breathing does not improve and you cannot immediately contact your health care provider, go to the emergency room.					
Call 911 if: • you can't talk in full sentences • fingernails or lips are grey or blue					
you can't get air you are worried about getting through the next 30 minutes					
Return to Clinic in: daysweeks months year					
This form provides consent for school/day care to administer to my child the above medicine(s) as provided by parent or guardian and allows the child to carry the					
inhaler for which the provider has assessed ability and if approved by the school nurse. Plan given and reviewed with patient and/or parent.					
Parent/Guardian signature	Date			Ch	ildren's * Physician
		1		*	Network

Health Care Provider signature

Date

Clinic phone number

An affiliate of Children's Hospitals and Clinics of Minnesota

www.clinics4kids.org

You can control your asthma

Avoid your asthma triggers and develop a plan for treatment

